


Cardiovascular www.ircrj.com



Corrigendum to "Evaluation of the Efficiency of Indirect Blood Pressure Measurement Methods in Comparison to Intra-Arterial Reading among Iranian Individuals" [Inter Cardiovasc Res J. 2020, 14 (3); e103852]

Mahmood Emami ¹, Davood Shafie ², Mehrbod Vakhshoori ³, Maryam Eghbali-Babadi ⁴, Elham Ahmadipour ⁵, Alireza Khosravi ^{6,*} ©

- ¹Yazd Cardiovascular Research Institute, Yazd University of Medical Sciences, Yazd, IR Iran
- ²Heart Failure Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, IR Iran
- ³ Interventional Cardiology Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, IR Iran
- ⁴Nursing and Midwifery Care Research Center, School of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, IR Iran
- ⁵Isfahan Cardiovascular Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, IR Iran
- ⁶Hypertension Research Center, Isfahan Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, IR Iran

ARTICLE INFO

Article Type: Corrigendum

Article History: Received: 9 Mar 2021 Accepted: 4 Apr 2021 *Corresponding author: Alireza Khosravi, Hypertension Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, Iran, Cellphone: +98-9133143710, E-mail: alirkh108@gmail.com.

The authors are deeply sorry about the inadvertent error made in the published article titled "Evaluation of the Efficiency of Indirect Blood Pressure Measurement Methods in Comparison to Intra-Arterial Reading among Iranian Individuals". The conclusion section was mistakenly added from another article in that issue of the International Cardiovascular Research Journal (Sep. 2020, 14 (3); e104728).

The correct conclusion is as follows:

Conclusions: The results showed that non-invasive BP measurement methods could be used efficiently for HTN status assessment with no significant difference with its simultaneous intra-arterial reading. Yet, several other studies are needed to clarify these outcomes and evaluate the efficacy of each tool for accurate BP measurement within different BP spectra.